

```
<?xml version="1.0" encoding="utf-8"?>
<XmlSerializableDictionaryOfStringObject>
  <DictionaryEntry>
    <string>SpecialProcessingValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">NoStateManagement</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>ContentTypeValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">Cell Data</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>CollectionGroupValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">DITU</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>CollectionGroupCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CG1</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>ContentProviderCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CP7</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>ContentTypeCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CT9</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>PackageTypeCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">PT5</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>CollectionInformationCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CI4</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>CollectionSensitivityCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CS1</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>SpecialProcessingCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">SP9</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>FacilityName</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">[REDACTED]</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>DataActivityDateTime</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:dateTime" xmlns:p4="http://ww
w.w3.org/2001/XMLSchema-instance">2019-10-29T15:51:38.864</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>DataAvailableDateTime</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:dateTime" xmlns:p4="http://ww
w.w3.org/2001/XMLSchema-instance">2019-10-29T15:53:10.5996125Z</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>ObjectGuid</string>
    <anyType xmlns:q1="http://microsoft.com/wsdl/types/" p4:type="q1:guid" xmlns:p4="http://www.w3
.org/2001/XMLSchema-instance">be65c0c2-f3f2-4a65-8cf7-368e8d71c3b2</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>CollectionInformationValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CALEA</anyType>
  </DictionaryEntry>
  <DictionaryEntry>
    <string>CollectionSensitivityValue</string>
```

```

    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">Non-Sensitive Collection method</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>ContentProviderValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">t-mobile</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>ProviderNameCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CP7</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>ProviderNameValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">t-mobile</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>ProviderName</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">t-mobile</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>ContentProvider</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CP7</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>SystemAuthorityCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">SA3</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>OrderAuthorityCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">OA2</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>TechnicalAuthorityCode</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">TA2</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>FacilityID</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">25b37882-427c-48b8-a7fb-ec1bdc590dff</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>SystemAuthorityValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CRIM</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>OrderAuthorityValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">PRTT</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>TechnicalAuthorityValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">PRTT</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>AuthorityNameValue</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:string" xmlns:p4="http://www.
w3.org/2001/XMLSchema-instance">CRIM</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>NormalizerElsurContentTotalBytes</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:long" xmlns:p4="http://www.w3
.org/2001/XMLSchema-instance">3912</anyType>
</DictionaryEntry>
<DictionaryEntry>
    <string>RawElsurSize</string>
    <anyType xmlns:q1="http://www.w3.org/2001/XMLSchema" p4:type="q1:long" xmlns:p4="http://www.w3
.org/2001/XMLSchema-instance">3912</anyType>
</DictionaryEntry>
<DictionaryEntry>

```



```
cmFtPg0KICAgIDwvT3B0aW9uYWxQYXJhbWV0ZXJzPg0KICA8L1BhY2tldGVlcjZTZXR0aW5ncz4NCjwvUGFja2V0ZWVyN1NldHRp  
bmdzRFM+</anyType>  
  </DictionaryEntry>  
</XmlSerializableDictionaryOfStringObject>
```