










CENTER
HELICOPTERS, INC.
Fort Worth, Texas

BELL
407





CENTER
HELICOPTERS, INC.
Fort Worth, Texas

BELL
407



CENTER
HELICOPTERS, INC.
Fort Worth, Texas

Bell
407









N491GM

GENERAL
HELICOPTERS, INC.
Fast Work













































CENTER
HELICOPTERS, INC.
Fort Worth, Texas


















27 3:55PM



27 3:55PM




27 3:55PM



27 3:55PM



27 3:55PM



27 3:55PM



31 3:48PM



Handwritten notes on a smaller whiteboard, including a list of items:

- 1. ...
- 2. ...
- 3. ...
- 4. ...
- 5. ...
- 6. ...
- 7. ...
- 8. ...



31 3:49PM



31 3:50PM





31 3:50PM



31 3:50PM

NOT TO BE USED FOR
OPERATION OF THE HELICOPTER AS ALL THE
FUNCTIONS OF THE HELICOPTER ARE CONTROLLED BY THE
PILOT AND THE HELICOPTER IS NOT TO BE OPERATED AS A
FIXED WING AIRCRAFT. THE HELICOPTER IS NOT TO BE
OPERATED AS A TRAMP AIRCRAFT. THE HELICOPTER IS NOT
TO BE OPERATED AS A TRAMP AIRCRAFT. THE HELICOPTER IS
NOT TO BE OPERATED AS A TRAMP AIRCRAFT. THE HELICOPTER
IS NOT TO BE OPERATED AS A TRAMP AIRCRAFT.



B.A.T. VOLTS
20.6 E
00:22
SELECT CONTROL
DAVTRON

TRO
% x 10
23

AIR SPEED
160 140 120 100 80 60 40
KMH TS



ALTITUDE
0 1000 2000 3000 4000 5000 6000 7000 8000 9000 10000

FUEL AMPS
PSI
x 10

MGT
°C x 100
65.8

NR
120 110 100 90 80 70 60 50 40 30 20 10
% RPM

ATTITUDE
30 33 36 39 42 45 48 51 54 57 60 63 66 69 72 75 78 81 84 87 90 93 96 99 102 105 108 111 114 117 120

TEMP
0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

DME HOLD
N1

FLOAT ARMING/INFLATION ABOVE 60 KIAS PROHIBITED

FUEL CAPACITY BASIC 869 LBS WITH AUX 1005 LBS (JET A AT 15°C)

FUEL
QTY LBS x 100
56.3

NG
RPM % x 10
22.0

AVOID CONT OPS 68% TO 86% NP

FIRE DET TEST

FUEL QTY

FWD TANK

GPS limited to VFR use only

ELT TO BE USED FOR AVIATION EMERGENCY ONLY UNAUTHORIZED OPERATION PROHIBITED



FADEC MODE

THIS HELICOPTER MUST BE OPERATED IN COMPLIANCE WITH THE OPERATING LIMITATIONS SPECIFIED IN THE APPROVED FLIGHT MANUAL

OVSPD

FADEC

HORN

VENT

FADEC SOFTWARE VERSION 5.202 WITH DIRECT REVERSION TO INSTALLED, REFER TO FOR OPERATION

N491GM
RADIO CALL SIGN

31 3:53PM

PS LIMITED TO VFR USE ONLY

RADIO CALL SIGN

CAA CLASS 3

COMM 2 GNS 430
RING
MENU
ENT
CLR
DEFAULT NAV



CDI OBS MSG FPL PROG

GAF
PWR PUSH VOL SQ
VOL PUSH ID
COM/VLOC
PUSH CN



BENDIX/KING KMD 150

COMM

STBY/CHAN

135.87 132.05

PULL TEST

OFF

CHAN

↕

BENDIX/KING

31 3:56PM



BOSE

31 3:57PM



31 3:58PM



31 3:58PM



31 3:58PM



31 3:58PM



31 3:58PM



31 3:58PM



31 3:58PM



31 3:58PM



31 4:00PM



31 4:01PM



31 4:03PM



31 4:08PM



31 4:09PM




31 4:22PM




31 4:22PM



31 4:24PM



31 4:27PM



31 4:27PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:36PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:37PM



31 4:38PM



31 4:38PM



31 4:38PM



31 4:39PM



31 4:39PM



31 4:39PM



31 4:39PM



31 4:40PM